




BEARING SUDAMERICANA, S.A.

40 mm x 55 mm x 20 mm INA NKI40/20-TV
needle roller bearings



Bearing No. NKI40/20-TV

NKI40/20-TV Bearing 2D drawings and 3D CAD models

Size	40x55x20 mm
Bore Diameter	40 mm
Outer Diameter	55 mm
Width	20 mm
d	40 mm
D	55 mm
B	20 mm
F	45 mm
r_{\min}	0,3 mm
s	0,5 mm / Axial displacement
m	136 g / Weight
C_r	35000 N / Dynamic load rating (radial)
C_{0r}	62000 N / Static load rating (radial)
C_{ur}	10800 N / Fatigue limit load, radial
n_G	10200 1/min / Limiting speed
n_B	5600 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	2.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A



BEARING SUDAMERICANA, S.A.

Weight / Kilogram	0.17
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	40MM Bore; 55MM Outside Diameter; 20MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Sepa
Other Features	Plain Inner Ring 2 Rib Outer Ring Radial Precision Bearing Steel Cage Light Duty Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKI40/20



BEARING SUDAMERICANA, S.A.

Weight / LBS	0.313
Bore	1.575 Inch 40 Millimeter
Outside Diameter	2.165 Inch 55 Millimeter
Width	0.787 Inch 20 Millimeter