



BEARING SUDAMERICANA, S.A.



87008 Bearing 2D drawings and 3D CAD models

8,000 mm x 24,000 mm x 10,319 mm NTN
87008 deep groove ball bearings

Bearing No. 87008

Size	8x24x10.319 mm
Bore Diameter	8,000 mm
Outer Diameter	24,000 mm
Width	10,319 mm
d	8,000 mm
D	24,000 mm
B	10,319 mm
C	10,319 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	1 Seal-1 Metal Shield
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Wide Inner Ring
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	8MM Bore; 24MM Outside



BEARING SUDAMERICANA,S.A.

	Diameter; 8MM Outer Race Width; 1 Seal-1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Wide Inner Ring Internal Special Features; C0-Medium Interna
Other Features	Deep Groove Felt Seal Shell Alvania Prelubricated
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	0.044
Outside Diameter	0.945 Inch 24 Millimeter
Bore	0.315 Inch 8 Millimeter
Inner Race Width	0.386 Inch 9.8 Millimeter
Outer Race Width	0.315 Inch 8 Millimeter
bore diameter:	8 mm
precision rating:	ISO Class 0
outside diameter:	24 mm
finish/coating:	Uncoated
overall width:	10.319 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	One Seal/One Shield
inner ring width:	9.804 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	8 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	24000 rpm



BEARING SUDAMERICANA,S.A.

internal clearance:	CN
fillet radius:	0.3 mm
operating temperature range:	-40 to 120 ° C
series:	87
dynamic load capacity:	4000 N
manufacturer product page:	Click here
static load capacity:	1580 N